DH. 5/15/2012



# ACTON BOARD OF HEALTH APPLICATION for INITIAL HAZARDOUS MATERIALS PERMIT

Legal Name of Facility or Establishment:	CTON TRUCK+ EQUIPMENT REPAIR		
Site Address: 42 Knox Irail Koa	d Acton MA 01720		
Mailing Address: Same	^^^		
	300		
Corporate Officers:	)es		
Emergency Contact Person: Thomas A	tmes		
Emergency Telephone (Day): 47.8.847. 6300.	Emergency Telephone (Night): 978 263 8683		
Type of Business: TRUCK TEQUIPO	MENT REPAIR		
*Aquifer Location:	*Watershed District:		
☐ Well protection [1]	□ Fort Pond		
Recharge protection [2]	□ Nashoba Brook		
☐ Aquifer protection [3]	43.4		
■ Watershed protection [4]	*Maps available at Acton Health Department.		
Type(s) of Permits Needed:			
Remedial action following a discharge:	[#5 (discharge), #6 (remediation)]		
X Small or large scale generator (or > 100 kg/220 lbs/25 gal/mo: material or waste):			
	g.), # 2 (waste) (sm.)] [user: # 4 (mat.), # 7 (waste)]		
X Storage (> 25 gal or lb) > 24 hrs: [# 8, #			
Storage, use, generation of extremely ha			
Storage of hazardous material or waste			
<del></del>	rial (> 50 gal or lb): [# 10 (lrg.), # 11 (sm.)]		
UST storage of flammable or combustib			
Change in material stored			
Removal of underground tank			
Requirements: (Please ensure to include all require	ed material before submission to Acton B.O.H)		
✓ Complete Non-Waste and Waste Inform			
M.S.D.S. for all chemicals listed on application			
✓ Emergency or contingency plan for an acceptance of the second continuous plan for a continuous plan for			
$\sqrt{}$ Site plan of premises showing areas where are chemicals are stored (including tanks and piping),			
	que slopes, arrow indicating north, and location of safety		
equipment. (see section C)	*		
	ocuments) showing proper disposal measures of all		
chemicals listed.			
Evidence of date(s) of purchase for all st			
Copies of all relevant documentation (pe	rmits and citations)		
Certifying Endorsement			

For Internal U	Use Only
----------------	----------

#### INFORMATION TO BE INCLUDED

# WITH THE HAZARDOUS MATERIALS PERMIT APPLICATION:

Copies of the Material Safety Data Sheets (MSDSs) for all chemicals listed on the Annual Throughput Sheet See Conner B
An Emergency or Contingency Plan in case of any accidental spill
A site plan of the premises, including the area where all chemicals are stored (use enclosed sheet)
The presence of a representative from your company at the Board of Health meeting during the application review is required
Copies of all hazardous waste transport manifests to demonstrate that proper disposal measures are being taken. If manifests are not required by state or federal law, some other proof of proper disposal shall be submitted.
□ MA Haz. Waste Mgt. Act (MGL ch 21 C)       □ SPCC (Title 40 CFR 109, 110, 112)         □ MA Clean Water Act (MGL ch 21 S. 26)       □ FIFRA (7 USSI 36)         □ RCRA (42 USCS 6901)       □ FIFRA (7 USSI 36)         □ Clean Air Act (42 USCS 1857)       □ Safe Drinking Water Act (42 USCS 300f)         □ Clean Water Act (33 USCS 1251)       □ TSCA (15 USCS 2601)
Representatives at Board of Health application review hearing (date:)
Recommended Conditions: 4, 9,12
New auneronip-Promaisly Pyro Equipment
Notesi MSPS's Should be organized + readily available
Label onthe freeze Clean area - Secondary Containment around oil took. Agent Signature/Date: M. 12.12

A. Hazardous Material (Non-Waste) Inventory Information

Chemical/Common Name	Max. Qty	ages if necessary.  Container Size	Location(s)
	(at any one time)	(single largest container)	(see section C)
ANTI-FREEZE		55 gal. lbs. . ft.	F16
016	/SD gal. lbs. cuft.	/S O gal. lbs. cu ft.	P17
	gal lbs cu ft.	gal lbs cu. , ft.	
	gal. ibs. cu ft.	gal. lbs. cu ft.	
	gal gal lbs cu. , ft.	gal lbs cu ft.	
	gal. lbs. cu ft.	gal. lbs. cu ft.	

## B. Hazardous Waste Inventory Information

(Hazardous Waste Generator Permit Application/Amendment)
Complete the table below for all waste inventory. Use additional pages if needed.

Name of Hazardous Waste	Treatment/Disposal Method(s) (Definitions provided on bottom of page)	Max. Qty. (at any one time)	Annual Qty. Generated	Location(s) (see Section C)
ANTI-FREEZE	Recycled on-site. Treated on-site. Shipped off-site for recycling/ treatment /disposal	5 gal. lbs. cu. ft.	// O gal. lbs. cu ft.	F17
011	Recycled on-site. Treated on-site. Shipped off-site for recycling/treatment/disposal	156 gal. lbs. cu	500 gal. lbs. cu	H9
	Recycled on-site. Treated on-site. Shipped off-site for recycling/treatment/disposal	gal. lbs. cu ft.	gal. lbs. cu ft.	
	Recycled on-site. Treated on-site. Shipped off-site for recycling/treatment/disposal	gal. lbs. cu ft.	gal. lbs. cu	
	Recycled on-site. Treated on-site. Shipped off-site for recycling/treatment/disposal	gal. lbs. cu	gal. lbs. cu ft.	

## C. Facility Site Plan/Storage Map


Prepare and submit with this Registration Form a simple site map which shows the following information:

• North direction • Street(s) adjacent to facility • Electrical, water, and gas shutoff valves

• Basic floor plan for each building containing hazardous materials/wastes which indicates building entrance(s) and hazardous material/waste storage locations (use grid locations or assign a code - A, B, C, etc. - to clearly identify each storage location for use in the above inventories).

Site Address: 42 Knox Trail Rd City: Acton MA

Date Map Drawn: 03/01/12



#### D. Endorsement

I declare that the above information is true and correct to the best of my knowledge. I agree to comply with all applicable regulations regarding storage, handling, and disposal of hazardous materials and hazardous wastes.

Owner/Operator's Name (Print)	Owner/Operator's Signature	Date		
Do Not Complete below This Line				

N

5/1/2012

Expires 5/1/13 Paid: 570

# TOWN OF ACTON PERMIT HAZARDOUS MATERIALS CONTROL BYLAW

Is hereby granted a permit to store and use Hazardous Materials at Acton Truck & Equipment Repair, 42 Knox Trail, Acton, MA 01720. This permit is granted with the conditions as noted on the attached list of conditions assigned to your facility.

Permit Categories:

4,9,12

\*See below explanation of permit categories

#### HAZARDOUS MATERIALS CONTROL PERMIT CATEGORIES AND FEES

<u>Category</u>	<u>Initial</u>	Renewal
1. Large Hazardous Waste Generator	\$160	\$65
2. Small Hazardous Waste Generator	\$60	\$45
3. Hazardous Materials Generator	\$160	\$65
4. Hazardous Materials User	\$50	\$45
5. Remediation Discharge Permit	\$575	\$140
6. Remediation Permit	\$595	\$140
7. Hazardous Waste User	\$160	\$65
8. Hazardous Materials Storer Large Industry	\$510	\$235
9. Hazardous Materials Storer Small Industry	\$360	\$160
10. Hazardous Materials Storer Large Retail	\$430	\$140
11. Hazardous Materials Storer Small Retail	\$305	\$160
12. Hazardous Waste Storer Small Industry	\$160	\$65
13. Hazardous Waste Storer Retail	\$60	\$45
14. Hazardous Waste Storer Large Industry	\$160	\$65

#### HAZARDOUS MATERIALS CONTROL PERMIT List of Conditions: Acton Truck & Equipment Repair 42 Knox Trail Rd Acton, MA 01720

Pursuant to the authority of Chapter I - Hazardous Materials Control Bylaw - of the Town of Acton's General Bylaws, the Board of Health has considered your application and plans submitted therewith, and has determined that the materials to be stored, used or generated, are within the scope of said bylaw. The Board of Health hereby orders that the following conditions are necessary and all storage, use or generation must be performed in strict conformance herewith:

- 1. All liquid Hazardous Materials and Wastes shall be stored in a containment area capable of containing 110% of the largest volume stored in the containment area.
- 2. All Materials Safety Data Sheets (MSDSs) for the Hazardous Materials shall be maintained on site. MSDSs shall be reviewed with employees at the time of their employment and on an annual basis thereafter. MSDS must be made available to all employees upon request.
- 3. A Contingency Plan, including emergency contact numbers (Telephone numbers of owner, operator, etc.) and a sketch showing clearly all Hazardous Material and Waste locations shall be submitted and updated annually, to the Board of Health, Fire Department, Police Department, and Civil Defense.
- 4. Emergency procedures and local Emergency Response Telephone Numbers (Health, Fire, Police, D.E.P., Civil Defense, etc.) should a spill occur, shall be posted in clear view of all employees where Hazardous Materials or Wastes are used or stored.
- 5. All Hazardous Wastes must be disposed of by a Licensed, D.E.P. approved, hauler or be recycled on site.
- 6. Copies of either all invoices or manifests for any Hazardous Materials or Wastes, received or disposed, shall be submitted to the Board of Health annually.
- Speedy Dry, or its equivalent, shall be kept in the storage area, in case of a Hazardous Materials or Wastes spill.
- 10. All floor drains shall be sealed or discharged into a closed system, with the waste disposed of by a D.E.P. approved Hazardous Waste Hauler.
- 11. Protective equipment, including chemical resistant gloves, eye goggles and (rubber) boots, in addition to soap and water, shall be made available to all employees, at all times, in any Hazardous Materials or Waste storage or use area.
- 12. No Hazardous Materials or Wastes shall be discharged into a sink or toilet.
- 14. A fire extinguisher, containing an appropriate fire extinguishing agent, shall be placed in the Hazardous Materials Storage area.
- 15. No food or drink shall be stored or consumed in any area where Hazardous Materials are stored or used.

- 16. Within thirty (30) days after issuance of this permit and prior to the next pumping of the septic tank, a sample shall be taken from the liquid layer of the septic tank and analyzed for volatile organic compounds by EPA Method 624. A sample shall be taken each time prior to pumping the septic tank. Each sample shall be analyzed by a DEP certified testing lab. The results of all tests shall be submitted to the Board of Health within thirty (30) days after testing. The septic tank shall be tested annually unless otherwise requested by the Board of Health.
- 21. Gas cylinders shall not be rolled, even for short distances. They shall be moved by a suitable hand truck, in accordance with an OSHA standard that applies.
- 25. Prior to any new chemical or processes being used, the Board of Health shall be notified.
- 26. The operation of this facility shall be in compliance with all present and future regulations of E.P.A. and D.E.P. at all times. Nothing in this permit allows or requires non-compliance with all present and future applicable laws or regulations of the Federal or State Governments.
- 29. All exterior above ground storage tank areas shall have secondary containment, as well as be protected from the elements and have restricted access from the public.
- PETROLEUM PRODUCTS AND ALL HAZARDOUS MATERIALS SHOULD NOT BE STORED ON BARE SOIL.